



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|---|---------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| Various | CEE 7:62 + Mod1:72 + Mod2:73 + Mod3:74 + Mod4:81 + Mod5:83 in add. EN 50075:90 | CEE7__A | 1993-09 | IMQ |
| 13000 | EN 132400:94 + A2:98 | 6132400A | 1999-08 | FIMKO |
| 13000 | EN 132400:1994 + A2:1998 + A3:1998 + A4:2001 | EN132400B | 2002-03 | SGS FIMKO |
| 13000 | EN 132400:1994 + A2:1998 + A3:1998 + A4:2001 | EN132400C | 2003-04 | SGS FIMKO |
| 13000 | EN 133200:94 | 6133200A | 1996-04 | SEMKO |
| 13000 | EN 132400:94 + A2:98 | 6132400A | 2000-08 | FIMKO |
| 13000 | EN 132400:94 | 6133200A | 1996-04 | SEMKO |
| 40000 | EN 41003:98 | 41003__C | 1999-02 | FIMKO |
| 40000 | EN 41003:1996 | 41003__B | 1997-01 | FIMKO |
| 50000 | EN 50075:1990 | EN50075B | 2004-10 | OVE |
| 50000 | EN 50084:92 | 50084__A | 1993-02 | VDE |
| 50000 | EN 50085-2-1: 2006-10 with EN 50085-1: 2005-08 | EN50085_2_1A | 2007-09 | LCIE |
| 50000 | EN 50086-2-1:95 | 5086201A | 1996-05 | LCIE |
| 50000 | EN 50086-2-2:95 | 5086202A | 1996-05 | LCIE |
| 50000 | EN 50086-2-3:95 | 5086203A | 1996-05 | LCIE |
| 50000 | EN 50086-2-4:94 | 5086204A | 1994-03 | UTE |
| 50000 | EN 50086-2-4:94 + A1:2001 | EN50086_2_4B | 2002-08 | LCIE |
| 50000 | EN 50091-1:1993 | 500911__A | 1993-12 | SETI |
| 50000 | EN 50091-1-1:96 | 5009111B | 1997-11 | FIMKO |
| 50000 | EN 50131-6: 1998 (First Edition) | EN50131_6A | 2004-06 | IMQ |
| 50000 | EN 50144-1:95 + corr. 95 | 50144_1A | 1996-02 | KEMA |
| 50000 | EN 50144-2-1:95 + corr. 95 | 5144201A | 1996-02 | KEMA |
| 50000 | EN 50144-2-1:1999 used in conjunction with EN 50144-1:1998 + A1:02 + A2:03 | EN50144_2_1B | 2004-11 | CERTIF |
| 50000 | EN 50144-2-2:95 + corr. 95 | 5144202A | 1996-02 | KEMA |
| 50000 | EN 50144-2-3:2002 used in conjunction with EN 50144-1:1998 + A1:2002 | EN50144_2_3A | 2002-11 | SEV |
| 50000 | EN 50144-2-4:95 | 5144204A | 1996-02 | KEMA |
| 50000 | EN 50144-2-5:96 | 5144205A | 1998-10 | KEMA |
| 50000 | EN 50144-2-6:96 | 5144206A | 1998-10 | KEMA |
| 50000 | EN 50144-2-6:2000 + A1: 01 used in conjunction with EN 50144-1:1998 + A1:02 + A2:03 | EN50144_2_6B | 2004-11 | CERTIF |
| 50000 | EN 50144-2-7:96 | 5144207A | 1996-07 | KEMA |
| 50000 | EN 50144-2-8:96 | 5144208A | 1996-07 | KEMA |
| 50000 | EN 50144-2-9:96 | 5144209A | 1996-07 | KEMA |
| 50000 | EN 50144-2-10:96 | 5144210A | 1996-07 | KEMA |
| 50000 | EN 50144-2-10:2001 (see also EN 50 144-1:98) | EN50144_2_10B | 2002-11 | IMQ |
| 50000 | EN 50144-2-11:96 | 5144211A | 1998-10 | KEMA |
| 50000 | EN 50144-2-13:2002 (see also EN 50144 1:1998 + A1:2002 + A2:2003) | EN50144_2_13A | 2003-12 | TUV PS |
| 50000 | EN 50144-2-14:96 | 5144214A | 1998-10 | KEMA |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|--|-------------------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| 50000 | EN 50144-2-14:2001 (see also EN 50 144-1:98) | EN50144_2_14B | 2002-11 | IMQ |
| 50000 | EN 50144-2-15:97 | 5144215A | 1998-10 | KEMA |
| 50000 | EN 50144-2-15:2001 used in conjunction with (EN 50144-1:98 + A1:02 + A2:03) | EN50144_2_15B | 2003-08 | SEV |
| 50000 | EN 50144-2-16:03 (used in conjunction with EN 50144 1:98 + A1:02 + A2:03) | EN50144_2_16A | 2004-11 | IMQ |
| 50000 | EN 50144-2-17:2000 | EN50144_2_17A/ 01-04 | 2001-03 | SEV |
| 50000 | EN 50146:2000 | EN50146A | 2004-08 | LCIE |
| 50000 | EN 50144-2-18:00 | TRF.161 | 2001-05 | IMQ |
| 50000 | EN 50178:97 | EN50178B | 2002-01 | SGS FIMKO |
| 50000 | EN 50205:2002 (see also EN 61810-1:2004) | EN50205A | 2006-07 | IMQ |
| 50000 | EN 50260-1:2001 | EN50260_1A | 2001-09 | TUV PS |
| 50000 | EN 50260-1:2002 | EN50260_1B | 2002-07 | TUV PS |
| 50000 | EN 50260-2-1:2002 (see also EN 50260-1:2002) | EN50260_2_1A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-2:2002 (see also EN 50260-1:2002) | EN50260_2_2A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-4:2002 (see also EN 50260-1:2002) | EN50260_2_4A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-5:2002 (see also EN 50260-1:2002) | EN50260_2_5A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-6:2002 (see also EN 50260-1:2002) | EN50260_2_6A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-7:2002 (see also EN 50260-1:2002) | EN50260_2_7A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-10:2002 (see also EN 50260-1:2002) | EN50260_2_10A | 2002-09 | TUV PS |
| 50000 | EN 50260-2-14:2002 (see also EN 50260-1:2002) | EN50260_2_14A | 2002-09 | TUV PS |
| 50000 | EN 50428:2005 used in conjunction with EN 60669-1:1999 + A1:2002 and EN 60669-2-1:2004 | EN50428A | 2005-11 | IMQ |
| TRON | EN 60065:98 | 60065__C | 1998-12 | BEAB |
| TRON | EN 60065:2002 | EN60065_D | 2003-01 | BEAB |
| PROT | EN 60127-2:91 | 6012702A | 1991-06 | BSI |
| PROT | EN 60127-3:91 | 6012703A | 1991-06 | BSI |
| PROT | EN 60127-6:94 + A1:96 | 6012706B | 1998-04 | KEMA |
| LITE | EN 60155:95 + A1:95 | 60155__A | 1997-11 | IMQ |
| CAP | EN 60252-1:2001 | EN60252_1A | 2002-05 | EZU |
| INST | EN 60309-1:99 and EN 60309-2:99 | EN60309_1-2A | 2001-02 | IMQ |
| INST | EN 60309-1:1999 + A11:2004 and EN 60309-2:1999 + A11:2004 | EN60309_1-2B | 2004-08 | IMQ |
| LITE | EN 60320-1:96 + A1:96 + A2:98 | 603201__C | 1998-05 | IMQ |
| LITE | EN 60320-2-1:87 | 6320201A | 1989-05 | IMQ |
| LITE | EN 60320-2-2:91 | 6320202A | 1992-07 | IMQ |
| HOUS | EN 60335-1:94 + A11:95 + A1:96 + A12:96 | 63351__E | 1997-06 | NEMKO |
| HOUS | EN60335-1: 2002 | EN60335_1F | 2003-05 | NEMKO |
| HOUS | EN 60335-1:2002 + A11:2004 + A1:2004 | EN60335_1G | 2005-03 | NEMKO |
| HOUS | EN 60335-2-2:95 | 6335202B | 1996-03 | CEBEC |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|---|--------------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| HOUS | EN 60335-2-2:95 + A1:98 + A2:00, EN 60335-2-3:95 + A1:99 + A2:00 and EN 60335-2-54:97 + A11:98 + A1:99 used in conjunction with EN 60335-1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_2&3 &54A | 2004-11 | CERTIF |
| HOUS | EN 60335-2-3:95 | 6335203B | 1996-10 | NEMKO |
| HOUS | EN 60335-2-3:95 + A1:99 + A2:00, EN 60335-1:94 + A11:95 + A1:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_3C | 2002-02 | NEMKO |
| HOUS | EN 60335-2-4:95 | 6335204B | 1998-01 | LCIE |
| HOUS | EN 60335-2-4:95 and EN 60335-2-7:97 | 63352C1B | 1998-01 | LCIE |
| HOUS | EN 60335-2-4:89 + A2:92 + A51:91 and EN 60335-2-7:90 + A1:90 + A2:92 + A51:92 and EN 60335-1:88 + A2:88 + A5:89 + A6:89 + A51:91 + A52:92 + A53:92 + A54:92 + A55:93 | 63352C2A | 1994-04 | UTE |
| HOUS | EN 60335-2-4:95 + EN 60335-2-7:97 + EN 60335-2-11:95 | 63352C2C | 1998-02 | LCIE |
| HOUS | EN 60335-2-5:95 | 6335205C | 1996-12 | LCIE |
| HOUS | EN 60335-2-6:90 + A2:92 + A3:93 + A51:93 | 6335206B | 1994-11 | UTE |
| HOUS | EN 60335-2-6:99 | 6335206D | 1999-12 | LCIE |
| HOUS | EN 60335-2-6:2003 used in conjunction with EN 60335-1:2002 + A11:04 | EN60335_2_6E | 2004-11 | CERTIF |
| HOUS | EN 60335-2-7:97 | 6335207B | 1998-01 | LCIE |
| HOUS | EN 60335-2-8:90 | 6335208A | 1993-02 | KEMA |
| HOUS | EN 60335-2-9:95 | 6335209C | 1996-12 | LCIE |
| HOUS | EN 60335-2-10:95 | 6335210B | 1996-03 | CEBEC |
| HOUS | EN 60335-2-11:95 | 6335211B | 1997-03 | LCIE |
| HOUS | EN 60335-2-12:95 | 6335212B | 1997-09 | BEAB |
| HOUS | EN 60335-2-13:95 | 6335213C | 1997-04 | LCIE |
| HOUS | EN 60335-2-14:96 | 6335214C | 1997-02 | LCIE |
| HOUS | EN 60335-2-14:2003 is used in conjunction with EN 60335-1:2002/A11:2004 | EN60335_2_14D | 2004-11 | SEV |
| HOUS | EN 60335-2-15:96 | 6335215C | 1997-01 | LCIE |
| HOUS | EN 60335-2-16:96 | 6335216B | 1998-02 | BEAB |
| HOUS | EN 60335-2-17:99 using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_17A | 2001-12 | IMQ |
| HOUS | EN 60335-2-19:89 | 6335219A | 1991-11 | KEMA |
| HOUS | EN 60335-2-20:89 | 6335220A | 1992-02 | KEMA |
| HOUS | EN 60335-2-21:92 | 6335221A | 1993-04 | NEMKO |
| HOUS | EN 60335-2-21:99 | 6335221B | 2000-02 | NEMKO |
| HOUS | EN 60335-2-23:96 | 6335223B | 1996-10 | VDE |
| HOUS | EN 60335-2-23:96 using in conjunction with EN 60335-1:94: + A11:95 + A1:96 + A2:00 + A12:96 + A13:98 + A14:99 + A15:00 | EN60335_2_23C | 2001-11 | VDE |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|----------------------------------|---|------------------|------------------------|-----------------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| HOUS | EN 60335-2-23:96 + A1:01 using in conjunction with EN 60335-1:94: + A11:95 + A1:96 + A2:00 + A12:96 + A13:98 + A14:99 + A15:00 + A2:00 + A16:01 | EN60335_2_23D | 2002-02 | VDE |
| HOUS | EN 60335-2-23:96 + A1:2002 used in conjunction with EN 60335-1:94: + A11:95 + A1:96 + A12:96 + A13:98 + A14:99 + A15:00 + A2:00 + A16:01 | EN60335_2_23E | 2003-04 | VDE |
| HOUS | EN 60335-2-24:94 | 6335224c | 1998-08 | SEV |
| HOUS | EN 60335-2-24:99 | 6335224D | 1999-10 | SEV |
| HOUS | EN 60335-2-24:00 | EN60335_2_24_E | 2001-01 | SEV |
| HOUS | EN 60335 2 24:2000 is used in conjunction with (EN 60335-1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01) | EN60335_2_24F | 2003-11 | SEV |
| HOUS | EN 60335-2-24:2003 used in conjunction with EN 60335-1:2002 | EN60335_2_24G | 2003-12 | SEV |
| HOUS | EN 60335-2-25:96 | 6335225C | 1997-11 | LCIE |
| HOUS | EN 60335-2-26:90 | 6335226A | 1992-02 | ÖVE |
| HOUS | EN 60335-2-27:97 + A11:97 | 6335227B | 1998-06 | KEMA |
| HOUS | EN 60335-2-27:97 + A1:00 + C11:02, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_27C | 2002-10 | KEMA |
| HOUS | EN 60335-2-28:96 | 6335228B | 1998-02 | ÖVE |
| HOUS | EN 60335-2-28:2003 used in conjunction with EN 60335-1:2002 | EN60335_2_28C | 2004-10 | ÖVE |
| HOUS | EN 60335-2-28:2003 used in conjunction with EN 60335-1:2002 + A11:2004 + A1:2004 | EN60335_2_28D | 2005-05 | ÖVE |
| HOUS | EN 60335-2-29:96 + A11:97 | 6335229B | 1998-07 | ÖVE |
| HOUS | EN 60335-2-29:2004 to be used in conjunction with EN 60335-1:2002 + A11:2004 + A1:2004 | EN60335_2_29C | 2005-10 | ÖVE |
| HOUS | EN 60335-2-30:97 | 6335230B | 1997-07 | VDE |
| HOUS | EN 60335-2-30:97 + A1:00 used in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_30C | 2002-04 | VDE |
| HOUS | EN 60335-2-30:2003 + A1:2004 and EN 60335-2-40:2003 + A11:2004 + A12:2005 used in conjunction with EN 60335-1:2002 + A11:2004 + | EN60335_2_30&40A | 2005-10 | CERTIF |
| HOUS | EN 60335-2-31:97 | 6335231D | 1997-10 | KEMA |
| HOUS | EN 60335-2-31:2003 | EN60335_2_31E | 2004-10 | KEMA |
| HOUS | EN 60335-2-31:2003 used in conjunction with EN 60335-1:2002, incl. A1:2004 and A11:2004. | EN60335_2_31F | 2005-04 | KEMA |
| HOUS | EN 60335-2-32:95 | 6335232B | 1998-04 | LCIE |
| HOUS | EN 60335-2-33:90 | 6335233A | 1992-02 | ÖVE |
| HOUS | EN 60335-2-34:96 | 6335234B | 2000-08 | IMQ |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|----------------------------------|---|----------------|------------------------|-----------------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| HOUS | EN 60335-2-34:2000 | TRF00160 | 2001-06 | IMQ |
| HOUS | EN 60335-2-34:03 (used in conjunction with EN 60335 1:02) | EN60335_2_34D | 2004-12 | IMQ |
| HOUS | EN 60335-2-35:94 + A51:95 (see also EN 60335-1:88 + A2:88 + errata:89 + A5:89 + A6:89 + A51:91 + A52:92 + A53:92 + A54:92 + A55:93) | 6335235a | 1995-11 | VDE |
| HOUS | EN 60335-2-35:98 | 6335235B | 2000-02 | VDE |
| HOUS | EN 60335-2-35:98 & A1:00, (see also EN 60335-1:94 + A1:96 + A2:00 + A11:95 + A12:96 + A13:98 + A14:98 + A15:00 + A16:01) | EN60335_2_35C | 2002-04 | VDE |
| HOUS | EN 60335-2-35:2002 used in conjunction with EN 60335-1:2002 | EN60335_2_35D | 2003-04 | VDE |
| HOUS | EN 60335-2-36:95 + A1:96 + A2:99 | 6335236D | 1999-10 | VDE |
| HOUS | EN 60335-2-36:00, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_36E | 2001-11 | IMQ |
| HOUS | EN 60335-2-37:95 + A1:96 + A2:99 | 6335237D | 1999-10 | VDE |
| HOUS | EN 60335-2-37:00, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_37E | 2001-11 | IMQ |
| HOUS | EN 60335-2-38:95 + A1:96 | 6335238C | 1999-03 | VDE |
| HOUS | EN 60335-2-38:00, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_38D | 2001-11 | IMQ |
| HOUS | EN 60335-2-39:89 + A1:92 + A51:91 | 6335239B | 1995-05 | IMQ |
| HOUS | EN 60335-2-39:95 + A1:96 | 6335239C | 1997-11 | VDE |
| HOUS | EN 60335-2-39:00, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_39D | 2001-11 | IMQ |
| HOUS | EN 60335-2-40:97 | 6335240B | 1998-11 | AENOR |
| HOUS | EN 60335-2-41:96 | 6335241C | 1997-07 | VDE |
| HOUS | EN 60335-2-41 | | 1999-05 | SEV |
| HOUS | EN 60335-2-41:96 in conjunction with EN 60335-1:94: + A11:95 + A12:96 + A13:97 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_41D | 2002-04 | VDE |
| HOUS | EN 60335-2-41:96 + A1:00 in conjunction with EN 60335-1:94: + A11:95 + A12:96 + A13:97 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_41E | 2002-09 | VDE |
| HOUS | EN 60335-2-42:89 + A1:92 | 6335242B | 1995-05 | IMQ |
| HOUS | EN 60335-2-42:95 + A1:96 | 6335242C | 1999-03 | VDE |
| HOUS | EN 60335-2-42:00, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_42D | 2001-11 | IMQ |
| HOUS | EN 60335-2-43:89 + A1:90 + A51:92 | 6335243B | 1995-01 | UTE |
| HOUS | EN 60335-2-44:89 | 6335244A | 1991-02 | BEAB |
| HOUS | EN 60335-2-45:96 | 6335245B | 1999-10 | VDE |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|--|-----------------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| HOUS | EN 60335-2-45:96 used in conjunction with EN 60335-1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01) | EN60335_2_45C | 2002-04 | VDE |
| HOUS | EN 60335-2-45:2002 used in conjunction with EN 60335-1:2002 + A11:2004 | EN60335_2_45D | 2005-02 | IMQ |
| HOUS | EN 60335-2-46:89 + A1:92 | 6335246B/ 96-05 | 1995-05 | IMQ |
| HOUS | EN 60335-2-47:97 + A1:98 | 6335247C | 1999-03 | VDE |
| HOUS | EN 60335-2-47:97 + A1:98 used in conjunction EN 60335-1:94 + A1:96 + A11:95 + A12:96 + A13:98 + A14:98 + A15:00 + A16:01 | EN60335_2_47D | 2002-04 | VDE |
| HOUS | EN 60335-2-48:90 + A1:92 | 6335248B | 1995-05 | IMQ |
| HOUS | EN 60335-2-48:97 + A1:98 | 6335248C | 1999-03 | VDE |
| HOUS | EN 60335-2-49:90 | 6335249A | 1991-07 | IMQ |
| HOUS | EN 60335-2-49:97 + A1:98 | 6335249B | 1999-03 | IMQ |
| HOUS | EN 60335-2-49:00, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A2:00 | EN60335_2_49C | 2002-09 | IMQ |
| HOUS | EN 60335-2-50:97 + A1:96 + A2:99 | 6335250C | 1999-11 | VDE |
| HOUS | EN 60335-2-51:91 | 6335251A | 1992-04 | VDE |
| HOUS | EN 60335-2-54:91 | 6335254A | 1991-09 | CEBEC |
| HOUS | EN 60335-2-54:97 + A11:98 + A1:99 | EN60335_2_54B/01/01 | 2000-08 | ÖVE |
| HOUS | EN 60335-2-54:2002 + A1:2004 used in conjunction with EN 60335-1:2002 | EN60335_2_54C | 2004-12 | ÖVE |
| HOUS | EN 60335-2-54:2003 + A1:2004 used in conjunction with EN 60335-1:2002 + A11:2004 + A1:2004 | EN60335_2_54D | 2005-05 | ÖVE |
| HOUS | EN 60335-2-55:93 | 6335255A | 1993-12 | ÖVE |
| HOUS | EN 60335-2-55:2003 to be used in conjunction with EN 60335-1:2002 | EN60335_2_55B | 2004-12 | ÖVE |
| HOUS | EN 60335-2-56:91 | 6335256A | 1992-08 | VDE |
| HOUS | EN 60335-2-58:93 | 6335258A | 1994-01 | IMQ |
| HOUS | EN 60335-2-58:95 + A1:98 | 00154-I/2001 | | IMQ |
| HOUS | EN 60335-2-58:97 + A1:99 | EN60335_2_58C/2001-05 | 2001-05 | IMQ |
| HOUS | EN 60335-2-59:94 | 6335259A | 1997-03 | CERTIF |
| HOUS | EN 60335-2-59:97 | 6335259B | 1999-11 | CERTIF |
| HOUS | EN 60335-2-60 :91 + A51:93 | 6335260A | 1993-11 | SEV |
| HOUS | EN 60335-2-60:97 | 6335260B | 1999-05 | SEV |
| HOUS | EN 60335-2-60:2002 (Third edition) in conjunction with EN 60335-1:2002 / A11:2004 | EN60335_2_60C | 2005-04 | SEV |
| HOUS | EN 60335-2-61:96 | 6335261A | 1997-07 | VDE |
| HOUS | EN 60335-2-64 | EN 60335-2-64_B | 2001-01 | SEV |
| HOUS | EN 60335-2-65:95 | 6335265A | 1997-04 | KEMA |
| HOUS | EN 60335-2-65:2003, EN 60335-1:2003 | EN60335_2_65B | 2003-10 | KEMA |



| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|--|-----------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| HOUS | EN 60335-2-67:98 + A1:00 | EN 60335_2_67B | 2001-04 | |
| HOUS | EN 60335-2-67:94 | 6335267A | 1998-06 | ÖVE |
| HOUS | EN 60335-2-68:94 | 6335268A | 1998-05 | ÖVE |
| HOUS | EN 60335-2-68:1998 + A1:00 used in conjunction with EN 60 335-1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_68B | 2002-04 | ÖVE |
| HOUS | EN 60335-2-69:95 + corr. 98 | 6335269A | 1998-02 | ÖVE |
| HOUS | EN 60335-2-69:98 + A1:00 | 6335269_B/01-02 | 2001-05 | ÖVE |
| HOUS | EN 60335-2-69:98 + A1:00 + A2:00 | EN 60 335_2_69C | 2001-05 | ÖVE |
| HOUS | EN 60335-2-70:96, using in conjunction with EN 60335-1:94 + A1:96 + A11:95 + A13:98 + A14:98 + A15:00 + A16:01 | EN60335_2_70A | 2002-06 | KEMA |
| HOUS | EN 60335-2-72:98 | 6335272A | 1999-07 | ÖVE |
| HOUS | EN 60335-2-75: 2002 used in conjunction with EN 60335-1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_75A | 2004-11 | CERTIF |
| HOUS | EN 60335-2-75:2004 used in conjunction with EN 60 335-1:2002 + A11:2004 + A1:2004 | EN60335_2_75B | 2005-10 | CERTIF |
| HOUS | EN 60335-2-79:98 + A11:99 | EN60335_2_79C | 2001-01 | SEV |
| HOUS | EN 60335-2-80:97 | 6335280A | 1997-11 | KEMA |
| HOUS | EN 60335-2-80:2003 EN 60335-1:2002 | EN60335_2_80B | 2003-08 | KEMA |
| HOUS | EN 60335-2-84:1998 (first edition), used in conjunction EN 60335-1:1994 + A11:1995 + A12:1996 + A13:1998 + A15:2000 + A16:2001 + A1:1996 | EN60335_2_84A | 2002-10 | LCIE |
| HOUS | EN 60335-2-90:97 | 6335290A | 1998-09 | VDE |
| HOUS | EN 60335-2-91:2003 in conjunction with EN 60335-1:2002 + A11:2004 | EN60335_2_91A | 2005-01 | SEMKO |
| HOUS | EN 60335-2-97:2000 used in conjunction with EN 60335 1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_97A | 2004-11 | CERTIF |
| HOUS | EN 60335-2-98:97 + A1:2000 using in conjunction with EN 60335-1:94 + A11:95 + A1:96 + A12:96 + A13:98 + A14:98 + A15:00 + A2:00 + A16:01 | EN60335_2_98A | 2002-01 | SEV |
| HOUS | EN 60335-2-98:2003 used in conjunction with EN 60335-1:2002/A11:2004 | EN60335_2_98B | 2005-01 | SEV |
| HOUS | EN 60335-2-101:2002 used in conjunction with EN 60335-1:2002 | EN60335_2_101 A | 2004-11 | CERTIF |
| HOUS | EN 60335-2-101:2002 used in conjunction with EN 60335-1:2002 + A11:2004 + A1:2004 | EN60335_2_101 B | 2005-03 | CERTIF |
| LITE | EN 60 570:96 (see also EN 60598-1:97) | 6570_E | 1999-03 | SEMKO |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|---|------------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| LITE | EN 60570:96 + A1:98 + A11:98 | 6570__F | 2000-08 | SEMKO |
| LITE | EN 60570:96 + A1:98 + A2:00 | EN60570G | 2001-11 | SEMKO |
| LITE | EN 60570-2-1:94 + A1:96 | 6570201D | 2000-08 | SEMKO |
| LITE | EN 60598-2-1:89 | 6598201E | 2000-08 | SEMKO |
| LITE | EN 60598-2-2:96 + A1:97 | 6598202E | 2000-08 | SEMKO |
| LITE | EN 60598-2-3:94 + A1:97 | 6598203E | 2000-08 | SEMKO |
| LITE | EN 60598-2-3:2001 used in conjunction with EN 60598-1:2000 + A11:2000 + A12:2002 | EN60598_2_3F | 2003-03 | SEMKO |
| LITE | EN 60598-2-4:97 | 6598204E | 2000-08 | SEMKO |
| LITE | EN 60598-2-5:98 | 6598205E | 2000-08 | SEMKO |
| LITE | EN 60598-2-6:94 + A1:97 | 6598206E | 2000-08 | SEMKO |
| LITE | EN 60598-2-7:89 + A13:97 (see also EN 60598-1:97) | 6598207d | 1999-02 | SEMKO |
| LITE | EN 60598-2-7:89 + A2:96 + A13:97 | 6598207E | 2000-08 | SEMKO |
| LITE | EN 60598-2-8:97 (see also EN 60598-1:97) | 6598208D | 1999-02 | SEMKO |
| LITE | EN 60598-2-8:97 + A1:00 | 6598208E | 2000-08 | SEMKO |
| LITE | EN 60598-2-9:89 + A1:94 | 6598209E | 2000-08 | SEMKO |
| LITE | EN 60598-2-10:89 + A2:95 | 6598210E | 2000-08 | SEMKO |
| LITE | EN 60598-2-17:89 + A2:91 | 6598217E | 2000-08 | SEMKO |
| LITE | EN 60598-2-18:94 | 6598218E | 2000-08 | SEMKO |
| LITE | EN 60598-2-19:89 (see also EN 60598-1:93 + A1:96) | 6598219D | 1999-02 | SEMKO |
| LITE | EN 60598-2-19:89 + A2:98 | 6598219E | 2000-08 | SEMKO |
| LITE | EN 60598-2-20:97 | 6598220D | 1999-02 | SEMKO |
| LITE | EN 60598-2-20:97 + A1:98 | 6598220E | 2000-08 | SEMKO |
| LITE | EN 60598-2-22:98 | 6598222E | 2000-08 | SEMKO |
| LITE | EN 60598-2-23:96 | 6598223D | 2000-08 | SEMKO |
| LITE | EN 60598-2-23:2000 used in conjunction with EN 60598-1:1999 + A11:2000 + A12:2002 | EN60598_2_23E | 2003-03 | SEMKO |
| LITE | EN 60598-2-24:98 | 6598224B | 2000-08 | SEMKO |
| LITE | EN 60598-2-25:94 | 6598225D | 2000-08 | SEMKO |
| INST | EN 60669-1:95 | 606691_A | 1995-10 | IMQ |
| INST | EN 60669-1:1999 | EN60669_1B/01/03 | 2001-01 | IMQ |
| INST | EN 60669-1:1999 + A1:2002 | EN60669_1D | 2005-11 | IMQ |
| INST | EN 60669-2-1:2000 + A2:2001, used in conjunction with EN 60669-1:1999 | EN60669_2_1A | 2001-12 | IMQ |
| INST | EN 60669-2-1:2004 used in conjunction with EN 60669-1:1999 + A1:2002 | EN60669_2_1B | 2005-11 | IMQ |
| INST | EN 60669-2-2:97 + A1:97 | 6066922A | 2000-05 | IMQ |
| INST | EN 60669-2-3:97 | 6066923A | 2000-05 | IMQ |
| INST | EN 60670 1:2005 | EN60670_1A | 2006-06 | IMQ |
| CONT | EN 60730-1:95 | EN 60730-1_D | 2001-07 | SEV |
| CONT | EN 60730-1:2000 | EN60730_1E | 2001-12 | SEV |
| CONT | EN 60730-2-2:91 + A11:95 + A1:97 + A2:97 | 60730_2_2A | 2000-11 | SEV |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|--|---------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| CONT | EN 60730 2-5:2002 (used in conjunction with EN 60730-1:1995) | EN60730_2_5A | 2003-09 | IMQ |
| CONT | EN 60730-2-7:91 + A1:97 + A12:93 + A11:94 | 6730207A | 1998-11 | ÖVE |
| CONT | EN 60730-2-8:95 + A1:97 + A2:97 | 6730208A | 2000-06 | SEV |
| CONT | EN 60730-2-9:95 + A1:96 + A11:96 + A2:97 | 60730_2_9B | 2000-11 | SEV |
| CONT | EN 60730- 2-9:2002 (2nd.Ed.) + A1:03 + A11:03 used in conjunction with EN 60730-1:2000 (3rd Edition) + A11: 02 + A12:03 | EN60730_2_9C | 2005-01 | SEV |
| CONT | EN 60730-2-14:97 | 6730214A | 2000-07 | SEV |
| CONT | EN 60 730-2-15:95 + A1:98 used in conjunction with EN 60 730-1:95+ + A11:96 + A12:96 + A1:97+A2:98+ A13:98 + A14:98 + A15:98 + A16:99 A17:00 | EN60730_2_15A | 2002-12 | SEV |
| CONT | EN 60730-2-16:97 + A1:98 | 6730216A | 2000-07 | SEV |
| SAFE | EN 60742:95 | 60742__B | 1997-06 | LCIE |
| TOOL | EN 60745-1:2003 with Amendment 1:2003 | EN60745_1B | 2004-05 | UL |
| TOOL | EN 60745-2-1:2003, used in conjunction with EN 60745-1:2003 + Amendment 1:2003 | EN60745_2_1A | 2004-11 | IMQ |
| TOOL | EN 60745-2-4:2003, used in conjunction with EN 60745-1:2003 + Amendment 1:2003 | EN60745_2_4A | 2004-11 | IMQ |
| TOOL | EN 60745-2-5:2003, used in conjunction with EN 60745-1:2003 + Amendment 1:2003 | EN60745_2_5A | 2004-11 | IMQ |
| TOOL | EN 60745-2-6:2003, used in conjunction with EN 60745-1:2003 + Amendment 1:2003 | EN60745_2_6A | 2004-11 | IMQ |
| TOOL | EN 60745-2-11:2003, used in conjunction with EN 60745-1:2003 + Amendment 1:2003 | EN60745_2_11A | 2004-11 | IMQ |
| TOOL | EN 60745-2-14:2003 in conjunction with EN 60745-1: 2003 with Amendment 1:2003 | EN60745_2_14A | 2005-02 | SEV |
| TOOL | EN 60745-2-17:2003, used in conjunction with EN 60745-1:2003 + Amendment 1:2003 | EN60745_2_17A | 2004-11 | IMQ |
| CABL | EN 60799:87 | 60799__A | 1989-05 | IMQ |
| CABL | EN 60799:1998 | EN60799B | 2004-01 | IMQ |
| MISC | EN 60825:91 | 60825__A | 1993-02 | FIMKO |
| MISC | EN 60825-1:94 | 60825-1__A | 1995-04 | SEMKO |
| MISC | EN 60825-1:94 + A11:96 | 60825-1B | 1999-06 | SEMKO |
| MISC | EN 60825-1:94 + A11:96 + A2:2001 | EN60825_1C | 2002-02 | SEMKO |
| MISC | EN 60825-2:94 | 60825-2A | 1995-04 | SEMKO |
| PROT | EN 60898:91 incl. corr. 1991-10 + A1:91 + A11:94, A12:95, A13:95, A14:95 + A15:95 + A16:95 + A17:98 + A18:98 | 60898__A | 2000-07 | ÖVE |
| PROT | EN 60898-1: 2003 / EN 60898-1:2002 + Amendment 1:2002 | EN60898_1A | 2004-05 | KEMA |
| LITE | EN 60920:91 | 60920__A | 1991-11 | BSI |
| LITE | EN 60921:91 + A1:92 | 60921__A | 1993-06 | IMQ |
| LITE | EN 60922:1991 | 60922__A | 1991-11 | BSI |
| LITE | EN 60922:97 | 60922__B | 1997-11 | IMQ |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|---|-------------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| LITE | EN 60923:1991 + A1:1992 | 60923_A | 1993-06 | IMQ |
| LITE | EN 60923:96 | 60923_B | 1997-11 | IMQ |
| LITE | EN 60924:91 | 60924_A | 1991-07 | VDE |
| LITE | EN 60926:96 | 60926_A | 1999-09 | VDE |
| LITE | EN 60927:96 + A1:99 | 60927_A | 2000-05 | VDE |
| LITE | EN 60928:95 | 60928_C | 1998-02 | SEMKO |
| LITE | EN 60929:92 | 60929_A | 1995-08 | VDE |
| POW | EN 60947-3:92 + A1:95 +corr.97 + A2:97 | 60947-3B | 1998-05 | KEMA |
| POW | EN 60947-4-1:92 | 69474-1A | 1995-07 | ÖVE |
| POW | EN 60947-4-2:1995 | 69474-2A | 1996-02 | KEMA |
| POW | EN 60947-5-1:91 | 69475-1A | 1995-09 | ÖVE |
| POW | EN 60947-7-1:91 | 69477_1A | 1995-11 | KEMA |
| POW | EN 60947-7-2:95 | 69477-2A | 1996-02 | KEMA |
| OFF | EN 60950:1992 + A1:1993 + A2:1993 A3:1995 + A4:96 | 60950_D | 1997-02 | FIMKO |
| OFF | EN 60950:00 | 60950_E | 2000-08 | FIMKO |
| HOUS | EN 60967:90 + A1:93 + A51:94 | 60967_B | 1995-06 | BEAB |
| LITE | EN 60968:90 + A1:93 | 60968_A | 1998-08 | FIMKO |
| INST | EN 60974-1:90 | 609741_A | 1993-09 | IMQ |
| INST | EN 60998-2-1:93 | 6998201A | 1994-02 | IMQ |
| INST | EN 60998-2-2:93 | 6998202A | 1994-03 | IMQ |
| INST | EN 60998-2-3:93 | 6998203A | 1995-05 | IMQ |
| INST | EN 60998-2-4:93 | 6998204A | 1995-05 | IMQ |
| PROT | EN 61008-1:94 | 61008_A | 1995-12 | ÖVE |
| PROT | EN 61009-1:94 + A1:95 + A2:98 + A11:95 + A13:98 + A14:98 + A15:98 + A17:98 + A19:00 (see also EN 61009-2-1:94 + A11:98) | EN 61009_1A/01-01 | 2000-03 | ÖVE |
| INST | EN 61011:92 | 61011_A | 1992-11 | DEMKO |
| INST | EN 61011-1:92 | 610111_A | 1992-09 | DEMKO |
| INST | EN 61011-2:92 | 610112_A | 1992-09 | DEMKO |
| TOOL | EN 61029-1:2000 | EN61029_1A | 2002-05 | TUV PS |
| LITE | EN 61046:91 + A1:91 | 61046_A | 1992-06 | IMQ |
| INST | EN 61058-1:92 + A1:93 | 61058-1A | 1993-07 | IMQ |
| INST | EN 61058-1:2002 | EN61058_1B | 2003-03 | IMQ |
| INST | EN 61058-2-1:1993 (see also EN 61058-1:1992 + A1:1993) | 6158201B | 1999-11 | IMQ |
| INST | EN 61058-2-1:93 + A1:96 | 6158201C | 2000-05 | IMQ |
| INST | EN 61058-2-1:1993 + A1:1996 + A11:2002 (see also EN 61058-1:2002) | EN61058_2_1D | 2003-03 | IMQ |
| INST | EN 61058-2-5:1994 + A11:2002 | EN61058_2_5A | 2007-07 | VDE |
| INST | EN 61210:1995 | EN 61210A | 2001-03 | VDE |
| INST | EN 61242:1997 + A11: 2004 | EN61242A | 2004-12 | LCIE |
| LITE | EN 61347-2-1:2000 used in conjunction with EN 61347-1:2001 | EN61347_2_1A | 2002-08 | SEMKO |
| LITE | EN 61347-2-1:2001, used in conjunction with EN 61347-1:2000 | EN61347_2_1B | 2003-03 | SEMKO |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|---------------------------|---|---------------|-----------------|----------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| LITE | EN 61347-2-2:2001 used in conjunction with EN 61347-1:2001 | EN61347_2_2A | 2001-12 | SEMKO |
| LITE | EN 61347-2-3:2001 used in conjunction with EN 61347-1:2001 | EN61347_2_3A | 2001-12 | SEMKO |
| LITE | EN 61347-2-8:2001, used in conjunction with EN 61347-1:2001 | EN61347_2_8A | 2003-03 | SEMKO |
| LITE | EN 61347-2-9:2001, used in conjunction with EN 61347-1:2001 | EN61347_2_9A | 2003-03 | SEMKO |
| LITE | EN 61347-2-10:2001, used in conjunction with EN 61347-1:2001 | EN61347_2_10A | 2003-09 | SEMKO |
| LITE | EN 61347-2-11:2001 used in conjunction with EN 61347-1:2001 | EN61347_2_11A | 2001-12 | SEMKO |
| INST | EN 61537:2001 | EN61537A | 2004-06 | IMQ |
| SAFE | EN 61558-1:97 | 61558-1A | 1997-09 | VDE |
| SAFE | EN 61558-2-1:97 | 6155821A | 1998-08 | VDE |
| SAFE | EN 61558-2-1:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_1B | 2006-03 | VDE |
| SAFE | EN 61558-2-1:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_1C | 2006-04 | VDE |
| SAFE | EN 61558_2_1:2007 use in conjunction with EN 61558-1:2005; IEC 61558-1 (ed.2) | EN61558_2_1D | 2007-04 | VDE |
| SAFE | EN 61558-2-2:98 | 6155822A | 1998-10 | VDE |
| SAFE | EN 61558-2-2:1998 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_2B | 2006-03 | VDE |
| SAFE | EN 61558-2-2:1998 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_2C | 2006-04 | VDE |
| SAFE | EN 61558_2_2:2007 use in conjunction with EN 61558-1:2005; IEC 61558-1 (ed.2) | EN61558_2_2D | 2007-04 | VDE |
| SAFE | EN 61558-2-3:2000 | EN61558_2_3A | 2002-08 | VDE |
| SAFE | EN 61558-2-3:2000 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_3F | 2006-03 | VDE |
| SAFE | EN 61558-2-3:2000 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_3G | 2006-04 | VDE |
| SAFE | EN 61558-2-4:97 | 6155824A | 1998-08 | VDE |
| SAFE | EN 61558-2-4:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_4F | 2006-03 | VDE |
| SAFE | EN 61558-2-4:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_4G | 2006-04 | VDE |
| SAFE | EN 61558-2-5:98 | 6155825A | 1998-10 | VDE |
| SAFE | EN 61558-2-5:1998 + A11:2004 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_5B | 2006-03 | VDE |
| SAFE | EN 61558-2-5:1998 + A11:2004 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_5C | 2006-04 | VDE |
| SAFE | EN 61558-2-6:97 | 6155826A | 1998-08 | VDE |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | 2010-03-17 |
|----------------------------------|--|----------------|------------------------|-----------------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator |
| SAFE | EN 61558-2-6:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_6C | 2006-03 | VDE |
| SAFE | EN 61558-2-6:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_6D | 2006-04 | VDE |
| SAFE | EN 61558-2-7:97 | 6155827A | 1998-08 | VDE |
| SAFE | EN 61558-2-7/A11:2002 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558-2-7B | 2006-04 | VDE |
| SAFE | EN 61558_2_7:2007 use in conjunction with EN 61558-1:2005; IEC 61558-1 (ed.2) | EN61558_2_7C | 2007-04 | VDE |
| SAFE | EN 61558-2-8:98 | 6155828A | 1999-03 | VDE |
| SAFE | EN 61558-2-8:1998 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558-2-8B | 2006-04 | VDE |
| SAFE | EN 61558-2-9:03 (see also EN 61558-1:97 and EN 61558-1/A1:98) | EN61558_2_9A | 2004-05 | VDE |
| SAFE | EN 61558-2-9:2003 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_9B | 2006-04 | VDE |
| SAFE | EN 61558-2-12:2001 | EN61558_2_12A | 2002-08 | VDE |
| SAFE | EN 61558-2-12:2001 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_12B | 2006-06 | VDE |
| SAFE | EN 61558-2-13:2000 | EN61558_2_13A | 2002-01 | VDE |
| SAFE | EN 61558-2-13:2000 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_13B | 2006-06 | VDE |
| SAFE | EN 61558-2-15:2001 | EN61558_2_15A | 2002-08 | VDE |
| SAFE | EN 61558-2-15:2001 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_15B | 2006-06 | VDE |
| SAFE | EN 61558-2-17:97 | 6558217A | 1998-08 | VDE |
| SAFE | EN 61558-2-17:1997 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_17B | 2006-06 | VDE |
| SAFE | EN 61558-2-20:2000 | EN61558_2_20A | 2002-08 | VDE |
| SAFE | EN 61558-2-20:2000 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_20B | 2006-06 | VDE |
| SAFE | EN 61558-2-23: 2001 (First Edition) | EN61558_2_23A | 2005-02 | IMQ |
| SAFE | EN 61558-2-23:2001 use in conjunction with EN 61558-1:1997 + A1:1998 + A11:2003 | EN61558_2_23B | 2006-06 | VDE |
| INST | EN 61800-5-1:2003 | EN61800_5_1A | 2004-10 | VDE |
| HD | HD 21.3 S3:95 + A1:99 | HD213S3A | 1999-11 | KEMA |
| HD | HD 21.4 S2:82 (Reprint 1990) | HD214S2A | 1999-11 | KEMA |
| HD | HD 21.5 S3:94 + A1:99 | HD215S3A | 1999-11 | KEMA |
| HD | HD 21.5 S3:1994 + A1:1999 + A2: 2001 for use with HD 21.1 and HD 21.2 | ENHD21_5S3B | 2004-11 | KEMA |
| HD | HD 21.7 S2:96 + A1:99 | HD217S2A | 1999-11 | KEMA |
| HD | HD 21.8 S2:99 | HD218S2A | 1999-11 | KEMA |
| HD | HD 21.9 S2:95 + A1:99 | HD219S2A | 1999-11 | KEMA |
| HD | HD 21.10 S1:93 | H2110S1A | 1999-11 | KEMA |
| HD | HD 21.10 S2:2001 for use with HD 21.1 and HD | ENHD21_10S2B | 2005-01 | KEMA |
| HD | HD 21.11 S1:95 | H2111S1A | 1999-11 | KEMA |



**Worldwide System for
Conformity Testing and Certification
of Electrical Equipment and
Components (IECEE)**

| List of available EN TRFs | | | | | 2010-03-17 |
|----------------------------------|--|----------------|------------------------|-----------------------|-------------------|
| Product Category | Standard | TRF No. | Master TRF date | TRF originator | |
| HD | HD 21.11 S1:1995 + A1:2001 for use with HD 21.1 and HD 21.2 | ENHD21_11S1B | 2005-01 | KEMA | |
| HD | HD 21.12 S1:94 | H2112S1A | 1999-11 | KEMA | |
| HD | HD 21.12 S1:1994 + A1:2001 for use with HD 21.1 and HD 21.2 | ENHD21_12S1B | 2005-01 | KEMA | |
| HD | HD 21.13 S1:95 | H2113S1A | 1999-11 | KEMA | |
| HD | HD 21.13 S1:1995 + A1:2001 for use with HD 21.1 and HD 21.2 | ENHD21_13S1B | 2005-01 | KEMA | |
| HD | HD 21.14 S1:2003 for use with HD 21.1 and HD | ENHD21_14S1A | 2005-01 | KEMA | |
| HD | HD 22.3 S3:95 + A1:99 | HD223S3A | 1999-11 | KEMA | |
| HD | HD 22.4 S3:95 + A1:99 | HD224S3A | 1999-11 | KEMA | |
| HD | HD 22.6 S2:95 + A1:99 | HD226S2A | 1999-11 | KEMA | |
| HD | HD 22.7 S2:95 + A1:99 | HD227S2A | 1999-11 | KEMA | |
| HD | HD 22.8 S2:94 + A1:99 | HD228S2A | 1999-11 | KEMA | |
| HD | HD 22.8 S2:1994 + A1:1999 / A2:2004 (see also HD 22.1 and HD 22.2) | ENHD22_8S2B | 2005-01 | KEMA | |
| HD | HD 22.9 S2:95 + A1:99 | HD229S2A | 1999-11 | KEMA | |
| HD | HD 22.10 S1:94 + A1:99 | H2210S1A | 1999-11 | KEMA | |
| HD | HD 22.11 S1:95 + A1:99 | H2211S1A | 1999-11 | KEMA | |
| HD | HD 22.12 S1:96 + A1:99 | H2212S1A | 1999-11 | KEMA | |
| HD | HD 22.13 S1:96 + A1:99 | H2213S1A | 1999-11 | KEMA | |
| HD | HD 22.13 S1:1996 + A1:2000 for use with HD 22.1 and HD 22.2 | ENHD22_13S1B | 2005-01 | KEMA | |
| HD | HD 22.14 S1:95 + A1:99 | H2214S1A | 1999-11 | KEMA | |
| HD | HD 22.15 S1:99 | H2215S1A | 1999-11 | KEMA | |
| HD | HD 22.16 S1:2000 for use with HD 22.1 and HD | ENHD22_16S1A | 2005-01 | KEMA | |
| HD | HD 277 S1:84 + A1:89 | HD277S1A | 1995-02 | IMQ | |
| HD | HD 359 S2:90 | HD359S2A | 1996-06 | KEMA | |
| HD | HD 360 S2:90 + A1:91 | HD360S2A | 1996-06 | KEMA | |